



PHỄU THU NƯỚC

Drainage Product




CÔNG TY TNHH THIẾT BỊ VÀ DỊCH VỤ THỦY SANH
THUY SANH EQUIPMENT AND SERVICE COMPANY LIMITED

MODEL O32

Materials: SUS304 / **Vật liệu:** Inox 304


Load: 250 kN / **Chịu tải:** 25 tấn



MODEL O32

CLEAN OUT


Pipe Size Kích thước ống		O	C	A	X
(DN)	(In)	(mm)	(mm)	(mm)	(mm)
DN50	2	51	80	35	2.5
DN65	2 1/2	64	90	35	2.5
DN80	3	78	120	38	2.5
DN100	4	98	140	38	3.0
DN125S	5	110	150	38	3.0
DN125	5	125	160	40	3.0
DN150	6	150	180	40	3.0
DN200S	8	180	220	75	4.0
DN200	8	200	250	75	4.0
DN250S	10	225	280	90	5.0
DN250	10	250	320	90	5.0
DN300	12	280	350	100	5.0
DN350	14	315	400	120	6.0
DN400	16	358	450	120	6.0

MODEL O32S**Materials:** SUS304 / **Vật liệu:** Inox 304**Load:** 250 kN / **Chịu tải:** 25 tấn**MODEL O32S****CLEAN OUT**

Pipe Size Kích thước ống		O	C	A	X
(DN)	(In)	(mm)	(mm)	(mm)	(mm)
DN50	2	51	80	35	2.5
DN65	2 1/2	64	90	35	2.5
DN80	3	78	120	38	2.5
DN100	4	98	140	38	3.0
DN125S	5	110	150	38	3.0
DN125	5	125	160	40	3.0
DN150	6	150	180	40	3.0
DN200S	8	180	220	75	4.0
DN200	8	200	250	75	4.0
DN250S	10	225	280	90	5.0
DN250	10	250	320	90	5.0
DN300	12	280	350	100	5.0
DN350	14	315	400	120	6.0
DN400	16	358	450	120	6.0

Materials: Brass, Nickel-Chrome finish

Vật liệu: Đồng mạ Crom-Niken




MODEL O32V		CLEAN OUT		
Pipe Size		O	C	A
Kích thước ống				
DN	(In)	(mm)	(mm)	(mm)
DN50	2	51	70	22
DN65	2 ½	63	82	22
DN80	3	81	105	22
DN100	4	101	126	22

MODEL O31

Materials: Cast Iron for Body, SUS304 for Cover

Vật liệu: Thân gang đúc, mặt Inox 304

Load: 250 kN / **Chịu tải:** 25 tấn



MODEL O31

CLEAN OUT



Pipe Size		O	A	C	D	X	Y
Kích thước ống (DN)	(In)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
DN50	2	51	66	80	120	24	40
DN65	2 1/2	64	66	90	120	24	40
DN80	3	78	66	120	150	24	40
DN100	4	98	66	140	165	24	40
DN125	5	110	66	150	190	24	40
DN150	6	148	66	180	215	24	40
DN200	8	180	66	80	270	24	40

MODEL O31S

Materials: Cast Iron for Body, SUS304 for Cover

Vật liệu: Thân gang đúc, mặt Inox 304


Load: 250 kN / **Chịu tải:** 25 tấn



MODEL O31S

CLEAN OUT

Pipe Size Kích thước ống		O	A	C	D	X	Y
(DN)	(In)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
DN50	2	51	66	80	120	24	40
DN65	2 1/2	64	66	90	120	24	40
DN80	3	78	66	120	150	24	40
DN100	4	98	66	140	165	24	40
DN125	5	110	66	150	190	24	40
DN150	6	148	66	180	215	24	40
DN200	8	180	66	80	270	24	40

MODEL O21**Materials:** Sus304 for Cover, Pvc for Body**Vật liệu:** Thân nhựa, mặt Inox304**MODEL O21****CLEAN OUT**

Pipe Size Kích thước ống		O	C	A	X
(DN)	(In)	(mm)	(mm)	(mm)	(mm)
DN50	2	61	80	35	2.5
DN65	2 1/2	76	90	35	2.5
DN80	3	91	120	38	2.5
DN100	4	111	140	38	3.0
DN125S	5	126	150	38	3.0
DN125	5	141	160	40	3.0
DN150	6	161	180	40	3.0
DN200S	8	201	220	75	4.0
DN200	8	221	250	75	4.0

CÔNG TY TNHH THIẾT BỊ VÀ DỊCH VỤ THỦY SANH

THUYSANH EQUIPMENT AND SERVICE COMPANY LIMITED

Địa chỉ: Số 4/84 Tây Trà, P. Trần Phú, Q. Hoàng Mai, Tp. Hà Nội

Tel: (024) 6259 6104 - (024) 6259 6107

Hotline: 0932 209 969

Email: info@thuysanh.com

Website: www.pheuthunuoc.com